



ATEX 3rd party certified
CE 0081 II 1/3 D
Ex tc IIIC T200°C Dc IP6X
c T3
LCIE 15 ATEX 3061

Zone 20 (Dust) providing a very High Protection Level inside the Recovery Tank
For the Safe Recovery of Combustible Dusts



IECEx 3rd Party Certified

Ex tc IIIC T200°C Dc IP6X
IECEx LCIE 15.0048



This model can be used to Recover Combustible Dusts such as Dust Groups :

- IIIA** Combustible Flyings (lints of cotton, wood chips, etc.)
- IIIB** Non-Conductive Dusts (flour dust, grain dust, flour, sugar, starch, wood, plastic, carbonaceous dusts, coal, carbon black)
- IIIC** Conductive Dusts (combustible metal dust, aluminum, magnesium, commercial alloys)

ESD Safe Vacuum Cleaners for Hazardous Locations are designed to prevent ignition hazards.
We use metal parts or Static Dissipative Powder Coating to prevent Electrostatic Discharge (ESD)

Charakteristik



Static Dissipating



HEPA - Included



High Efficiency



Stainless General



SD Accessories - Included



Dry Recovery



- Available with Brushless Motor where applicable
- Intermittent Housekeeping and General Cleaning.
- Bypass Ametek® long life motor
- Includes 4 HEPA filters. Class H14. Individually factory tested.
- Material to be recovered within a Conductive Cloth Recovery Bag.
- Eine Vakuum-Kontrollleuchte ist inbegriffen
- Compact size. Only 34" high


Specifications

C-7 EX (4W)	111801B
Model Name	C-7 EX (4W)
Typ	Electric
Spannung	220/240 V
Hertz	50/60 Hz
Phase	Single
Leistung	1200 W
PS	1.2 kW
Stromstärke	5 amps.
Luftstrom	194 m ³ /h
Vakuum - Druck -	2504 mm H ₂ O
Schallpegelmit	72 dB(A)
Netzstecker	Not Included
Saugstutzen	60 mm
Karte	4 Wheel Dolly (4W)
Trockengewinnungsbeutel	19 L
Länge	43 cm
Breite	43 cm
Höhe	77.5 cm
Gewicht	23 kg.
Netzkabel Länge	10 m

Bitte beachten Sie, dass die Spezifikationen ohne vorherige Ankündigung geändert werden können



Upstream HEPA Filter - Included



Conductive Recovery Bag - Included



Static Conductive Suction Hose and Tool Kit - Included



Cable Holder Hook included on the side of the powerhead