The Multi II - the second generation of Multipurpose vacuum cleaners offer a filter cleaning indicator on all models. This is a warning telling you that the vacuum is loosing performance and it is about time to clean or replace the filter.

The Multi II also offers a Push&Clean function to clean the filter. This function is a semi-automatic method of cleaning the filter by creating an airwave hitting the filter from inside out.

The combination of filter cleaning indicator and Push&Clean function makes this machine a truly unique offer. Together these features ensures a consistent high cleaning performance.

The Multi II flagship model also offers Variable Suction Control that may come in handy when you need to reduce the suction power of the efficient 1400 W motor

- Filter clean indicator
- Push&Clean, a semi-automatic filter cleaning function
- Sturdy build with a robust 1400 W engine for long life
- High suction power
- Blow function
- 30 I container with good net filling capacity
- Polypropylene container for easy cleaning
- Variable Suction control and Inox container offered as a variant



Picture shown may not represent model quoted

The Multi II is a good companion to the Do it yourself person in any house. It is also a good second vacuum cleaner dedicated to dirt and debris inside as well as outside the house, car or the like.

Standard equipment					
Included accessories	Ref. no.	Min. required	NILFISK MULTI II 30 T EU	NILFISK MULTI II 30 T INOX VSC EU	NILFISK MULTI II 30 T FR
Hose and Connection					
SUCTION HOSE 4M 1 PCS	107417193	0	•	•	•
Nozzle - Vacuum					
FLOOR NOZZLE D36 W/D 1 PCS	107417197	0	•	•	•
System 36 Tube					
TOOL ADAPTER	302002356	0	•	•	•
System 36 Crevice/Cone Nozzle					
CREVICE NOZZLE D36X200	29541	0	•	•	•
Dust Bag and Filter					
FILTER KIT 1 PCS	107417194	0	•	•	•

Standard equipment

Included accessories		Ref. no.	Min. required	NILFISK MULTI II 30 T INOX VSC FR	NILFISK MULTI II 30 T UK	NILFISK MULTI II 30 T INOX VSC UK	
Hose and Connection							
	SUCTION HOSE 4M 1 PCS	107417193	0	•	•	•	
Nozzle - Vac	Nozzle - Vacuum						
	FLOOR NOZZLE D36 W/D 1 PCS	107417197	0	•	•	•	



Included accessories		Ref. no.	Min. required	NILFISK MULTI II 30 T INOX VSC FR	NILFISK MULTI II 30 T UK	NILFISK MULTI II 30 T INOX VSC UK	
System 36 Tube	System 36 Tube						
TOOL ADAPTER		302002356	0	•	•	•	
System 36 Crevice/Cone Nozzle							
CREVICE NOZZLE D3	6X200	29541	0	•	•	•	
Dust Bag and Filter	Dust Bag and Filter						
FILTER KIT 1 PCS		107417194	0	•	•	•	

Standard equipment

Included accessories	Ref. no.	Min. required	NILFISK MULTI II 30 T AUS NZ	NILFISK MULTI II 30 T INOX VSC AUS NZ
Hose and Connection			1	
SUCTION HOSE 4M 1 PCS	107417193	0	•	•
Nozzle - Vacuum				
FLOOR NOZZLE D36 W/D 1 PCS	107417197	0	•	•
System 36 Tube				
TOOL ADAPTER	302002356	0	•	•
System 36 Crevice/Cone Nozzle				
CREVICE NOZZLE D36X200	29541	0	•	•
Dust Bag and Filter			1	
FILTER KIT 1 PCS	107417194	0	•	•
Model	NILFISK MULTI II 30 T EU	NILFISK 30 T INO	MULTI II NII X VSC EU	-FISK MULTI II 30 T FR
Ref. no.	18451552	1845	1553	18451555
PRODUCT FEATURES				
Dust bag (1 pcs)	•		•	•
Tube holder	•		•	•
Softstart	•		•	•
Tool tray	•		•	•
Wet & dry performance	•		•	•
Push&Clean filter cleaning	•		•	•
Automatic On/Off-elec. tools	•		•	•
Storage of accessories	•		•	•
Cable storage	•		•	•
Variable speed control			•	
Blow function	•		•	•
Steel container			•	



Model	NILFISK MULTI II 30 T EU	NILFISK MULTI II 30 T INOX VSC EU	NILFISK MULTI II 30 T FR
Ref. no.	18451552	18451553	18451555
PRODUCT FEATURES			
Quick park	•	•	•
Hose holder	•	•	•
Container lift/tilt handle	•		•
Filter Clean Indicator	•	•	•
French version			•
Large wheel – 2 pcs.	•	•	•
Model	NILFISK MULTI II 30 T INOX VSC FR	NILFISK MULTI II 30 T UK	NILFISK MULTI II 30 T INOX VSC UK
Ref. no.	18451556	18451559	18451560
PRODUCT FEATURES			
Dust bag (1 pcs)	•	•	•
Tube holder	•	•	•
Softstart	•	•	•
Tool tray	•	•	•
Wet & dry performance	•	•	•
Push&Clean filter cleaning	•	•	•
Automatic On/Off-elec. tools	•	•	•
Storage of accessories	•	•	•
Cable storage	•	•	•
Variable speed control	•		•
Blow function	•	•	•
Steel container	•		•
Quick park	•	•	•
Hose holder	•	•	•
Container lift/tilt handle		•	
Filter Clean Indicator	•	•	•
French version	•		
Large wheel – 2 pcs.	•	•	•



Ren.18458948458PODUCT FEATURESDub bag(1 pcs)Tole holderSoftsatTol tayWet & dry performancePushClean filter cleaningAutomatic On Off-leic: toolsStorage of accessoriesCable god accessoriesCable god accessoriesBow functionStorage of accessoriesCable god accessoriesBow functionStorage of accessories <td< th=""><th>Model</th><th></th><th>NILFISK MULTI II 30 T AUS NZ</th><th>NILFISK MULTI II 30 T INOX VSC AUS NZ</th></td<>	Model		NILFISK MULTI II 30 T AUS NZ	NILFISK MULTI II 30 T INOX VSC AUS NZ
Dust beg (1 pcs)••Tube holder••	Ref. no.		18451564	18451565
Tube holder.SoftstartTool hayWat & dry performancePushBCean filter cleaningAutomatic On/Off-elec. toolsSoftage of accessoriesCable storageOut functionBlow functionStel containerOutick parkHose holderContainer infibilit handleFilter Clean IndicatorFilter Clean IndicatorFuench and specificationsMulting specificationsNull Specificat	PRODUCT FEATURES			
SofstartTool trayWet & dry performancePush&Clean filter cleaningAutomatic On/Off-elec. toolsStorage of accessoriesCable storageVariable speed controlBlow functionStorage for controlBlow functionStel containerCutaike parkFliter Clean IndicatorFliter Clean IndicatorSteade storapeMax such opwort (W)Power pract (M)Power pract (M)Nutrels (M)Nutrels (M)Nutrels (M) </td <td>Dust bag (1 pcs)</td> <td></td> <td>•</td> <td>•</td>	Dust bag (1 pcs)		•	•
Tool trayWet & dry performancePush&Clean filter cleaningAutomatic On/Off-elec. toolsStorage of accessoriesCable storageVariable speed controlBlow functionSteel containerOuick parkCotale storageOutick parkCotale Inflictitit handleFiler Clean Indicator<	Tube holder		•	•
With & dry performancePush&Clean filter cleaningAutomatic On/Off-elec. toolsStorage of accessoriesCable storageVariable speed controlBlow functionSteel containerOuick parkHose holderContainer fift/tilt handleContainer fift/tilt handleFrench versionIter Clean IndicatorFrench versionMusction power (W)	Softstart		•	•
Psh&Clean filter cleaning••Automatic On/Off-elec. tools···Storage of accessories····Cable storage·····Variable speed control·····Blow function······Steel container··· <td>Tool tray</td> <td></td> <td>•</td> <td>•</td>	Tool tray		•	•
Atomatic On/Off-elec. tools••Storage of accessories•••Cable storage••••Variable speed control••••Blow function•••••Steel container••••••Quick park••	Wet & dry performance		•	•
Storage of accessoriesCable storageValable speed controlBlow functionSteel containerQuick parkHose holderContainer lift/tilt handleFilter Clean IndicatorFrench version<	Push&Clean filter cleaning		•	•
Cable storage•Variable speed control·Bow function·Stel container·Cluick park·Hose holder·Container lift/tilt handle·Fiter Clean Indicator·French version·Itarge wheel - 2 pcs.·Technical specificationsNIEFISK MULTI IINuccifish MULTI IINIEFISK MULTI IINuccifish MULTI II·Nuccifish MULTI II· <td>Automatic On/Off-elec. tools</td> <td></td> <td>•</td> <td>•</td>	Automatic On/Off-elec. tools		•	•
Variable speed control•Blow function··Stele container··Quick park···Hose holder···Container lift/tilt handle···Filter Clean Indicator···French version···Technical specificationsNLFISK MULTII IINLFISK MULTII IINax. suction power (W)292292292Power pmax (W)140014001400Power pmax (W)120212021202Nacuum (kPa)210212102121021Sound level [pal/wa (dB(A))87/7487/7487/74Qapacity (I)303030Vacuum tube diameter (mm)363636Hose length (m)444Plug for electricolos (W)Yes, 1100Yes, 1100Yes, 1100Dimensions LXWXH (mm)426374x684426x374x684426x374x684	Storage of accessories		•	•
Blow functionSteel containerQuick parkHose holderContainer lift/tilt handleFilter Clean IndicatorFriench versionLarge wheel - 2 pcsTechnical specificationsNILFISK MULTI II .NILFISK MULTI III .Max. suction power (W)Power pmax (W)Power piec (W)Quadum (kPa)Stond level (pa//wa (BGA))Sound level (pa//wa (BGA))Acaum tube diameter (mm)Abe length (m)Puor for (SW)Store (SW). </td <td>Cable storage</td> <td></td> <td>•</td> <td>•</td>	Cable storage		•	•
Stele container.Quick park.Hose holder.Hose holder.Container lift/it handle.Filter Clean Indicator.Filter Clean Indicator.French version.Technical specificationsNILFISK MULTIIMax suction power (W)292Power pmax (W)292Power pmax (W)1000Power pmax (W)1260Power pmax (W)1260Power pmax (W)202-2401/1500Power pmax (W)2020Power pmax (W)210/21Power pmax (W)210/21Power pmax (W)210/21Power pmax (W)210/21Power pmax (W)30Power pmax (W)36Power pmax (W)36Power pmax (W)4Power pmax (W)4 <td>Variable speed control</td> <td></td> <td></td> <td>•</td>	Variable speed control			•
Quick parkHose holderHose holderContainer lift/lit handleFilter Clean IndicatorFrench versionLarge wheel – 2 pcsTechnical specificationsNILFISK MULTIII stort power (W)NILFISK MULTIII stort ParkNILFISK MULTIII stort ParkMax. suction power (W)Power pmax (W)Power pmax (W)Power piec (W)Mains connection (V/~/Hz/A)Vacuum (kPa)Sond level pa/wa (dB(A))Guait tube diameter (mn)Accuum tube diameter (mn)Apo feretic tools (W) <td< td=""><td>Blow function</td><td></td><td>•</td><td>•</td></td<>	Blow function		•	•
Hose holderContainer lift/ith handleFilter Clean IndicatorFrench versionLarge wheel – 2 pcsTechnical specificationsNILFISK MULTIIINILFISK MULTIIIIMax. suction power (W)Power pmax (W)Power piec (W)Power piec (W)Mains connection (Vr-/Hz/A)Vacuum (kPa)Sourd level pa/sult (III)Yacuum tube diameter (mm)Ace length (m)Hose length (III)Pior for for for for for for for for for f	Steel container			•
Container lift/tilt handle•Filter Clean Indicator••French version-•Large wheel – 2 pcs.••Technical specificationsNILFISK MULTI II 30 T FUNILFISK MULTI II 30 T FUNILFISK MULTI II 30 T FUMax. suction power (W)292292292Power pmax (W)140014001400Power piec (W)126012601260Mains connection (V/~/Hz/A)220-240/ 1-/ 50/60220-240/ 1-/ 50/60220-240/ 1-/ 50/60Vacuum (kPa)210/21210/21210/21Sound level lpa/lwa (dB(A))87/7487/7487/74Capacity (I)30303030Vacuum tube diameter (mm)363636Hose length (m)444Plug for electric tools (W)Yes, 1100Yes, 1100Dimensions LxWxH (mm)426x374x684426x374x684426x374x684	Quick park		•	•
Filter Clean Indicator French versionLarge wheel – 2 pcsTechnical specificationsNILFISK MULTI II 30 T NOX VSCENILFISK MULTI II 30 T NOX VSCENILFISK MULTI II 30 T NOX VSCEMax. suction power (W)292292292Power pmax (W)140014001400Power pmax (W)126012601260Mains connection (V/~/Hz/A)202240/ 1~/ 5060202-240/ 1~/ 506202-240/ 1~/ 506Vacuum (kPa)210/21210/21210/21210/21Sound level lpa/lwa (dB(A))87/7487/7487/74Capacity (I)30303030Vacuum tube diameter (mm)363636Hose length (m)444Pug for electric tools (W)Yes, 1100Yes, 1100Yes, 1100Dimensions LXWXH (mm)426374x684426x374x684426x374x684	Hose holder		•	•
French versionLarge whee J 2 pcs.••Technical specificationsNILFISK MULTI II S0 TEWNILFISK MULTI II S0 TEWNILFISK MULTI II S0 TEWMax. suction power (W)292292292Power pmax (W)140014001400Power piec (W)126012601260Mins connection (V/~/Hz/A)200-2401 / 150020-2401 / 150020-2401 / 1500Vacuum (kPa)210/21210/21210/21210/21Sound level lpa/wa (dB(A))87/7487/7487/74Capacity (I)30303636Hose length (m)4444Plug for electric tools (W)Yes, 1100Yes, 1100Yes, 1100Dimension LxXWH (mm)426374x68426374x684426374x684	Container lift/tilt handle		•	
Large wheel - 2 pcs.••Technical specificationsNILFJSK MULTI II S0 T INOX VSC EUNILFJSK MULTI II S0 T INOX VSC EUNILFJSK MULTI II S0 T INOX VSC EUMax. suction power (W)292292292Power pmax (W)140014001400Power pmax (W)126012601260Power piec (W)126012601260Mains connection (V/~/Hz/A)220-2401 ^-/ 500220-2401 /-/ 500220-2401 /-/ 500Vacuum (kPa)210/21210/21210/21Sound level lpa/lwa (dB(A))87/7487/7487/74Capacity (I)30303030Vacuum tube diameter (mm)363636Hose length (m)444Plug for electric tools (W)Yes, 1100Yes, 1100Yes, 1100Dimensions LxWxH (mm)645374x68426374x684426374x684	Filter Clean Indicator		•	•
Technical specificationsNILFISK MULTI II 30 T EUNILFISK MULTI II 30 T FRNILFISK MULTI II 30 T FRMax. suction power (W)292292292Power pmax (W)140014001400Power piec (W)126012601260Mains connection (V/~/Hz/A)220-240/ 1~/ 50/60220-240/ 1~/ 50/60220-240/ 1~/ 50/60Vacuum (kPa)210/21210/21210/21Sound level lpa/lwa (dB(A))87/7487/7487/74Capacity (I)303030Vacuum tube diameter (mm)444Hose length (m)444Plug for electric tools (W)Yes, 1100Yes, 1100Yes, 1100Dimensions LxWxH (mm)242x37x68442x37x68442x37x684	French version			
Technical specifications   30 T EU   30 T INOX VSC EU   30 T FR     Max. suction power (W)   292   292   292     Power pmax (W)   1400   1400   1400     Power piec (W)   1260   1260   1260     Mains connection (V/~/Hz/A)   220-240/ 1~/ 50/60   220-240/ 1~/ 50/60   220-240/ 1~/ 50/60     Vacuum (kPa)   210/21   210/21   210/21   210/21     Sound level lpa/lwa (dB(A))   87/74   87/74   87/74     Capacity (I)   30   30   30     Vacuum tube diameter (mm)   36   36   36     Hose length (m)   4   4   4     Plug for electric tools (W)   Yes, 1100   Yes, 1100   Yes, 1100     Dimensions LxWxH (mm)   426x374x684   426x374x684   426x374x684	Large wheel – 2 pcs.		•	•
Power pmax (W)140014001400Power piec (W)126012601260Mains connection (V/~/Hz/A)220-240/1~/50/60220-240/1~/50/60220-240/1~/50/60Vacuum (kPa)210/21210/21210/21Sound level lpa/lwa (dB(A))87/7487/7487/74Capacity (I)30303030Vacuum tube diameter (mm)363636Hose length (m)444Plug for electric tools (W)Yes, 1100Yes, 1100Yes, 1100Nemsions LxWxH (mm)426x374x684426x374x684426x374x684	Technical specifications	NILFISK MULTI II 30 T EU	NILFISK MULTI II 30 T INOX VSC EU	NILFISK MULTI II 30 T FR
Power piec (W)126012601260Mains connection (V/~/Hz/A)220-240/1~/50/60220-240/1~/50/60220-240/1~/50/60Vacuum (kPa)210/21210/21210/21Sound level lpa/lwa (dB(A))87/7487/7487/74Capacity (I)30303030Vacuum tube diameter (mm)363636Hose length (m)444Plug for electric tools (W)Yes, 1100Yes, 1100Dimensions LxWxH (mm)426x374x684426x374x684426x374x684	Max. suction power (W)	292	292	292
Mains connection (V/~/Hz/A) 220-240/ 1~/ 50/60 220-240/ 1~/ 50/60 220-240/ 1~/ 50/60   Vacuum (kPa) 210/21 210/21 210/21   Sound level lpa/lwa (dB(A)) 87/74 87/74 87/74   Capacity (I) 30 30 30   Vacuum tube diameter (mm) 36 36 36   Hose length (m) 4 4 4   Plug for electric tools (W) Yes, 1100 Yes, 1100 Yes, 1100   Dimensions LxWxH (mm) 426x374x684 426x374x684 426x374x684	Power pmax (W)	1400	1400	1400
Vacuum (kPa) 210/21 210/21   Sound level lpa/lwa (dB(A)) 87/74 87/74   Capacity (l) 30 30 30   Vacuum tube diameter (mm) 36 36 36   Hose length (m) 4 4 4   Plug for electric tools (W) Yes, 1100 Yes, 1100 Yes, 1100   Dimensions LxWxH (mm) 426x374x684 426x374x684 426x374x684	Power piec (W)	1260	1260	1260
Sound level lpa/lwa (dB(A)) 87/74 87/74   Capacity (l) 30 30 30   Vacuum tube diameter (mm) 36 36 36   Hose length (m) 4 4 4   Plug for electric tools (W) Yes, 1100 Yes, 1100 Yes, 1100   Dimensions LxWxH (mm) 426x374x684 426x374x684 426x374x684	Mains connection (V/~/Hz/A)	220-240/ 1~/ 50/60	220-240/ 1~/ 50/60	220-240/ 1~/ 50/60
Capacity (I)   30   30   30     Vacuum tube diameter (mm)   36   36   36     Hose length (m)   4   4   4     Plug for electric tools (W)   Yes, 1100   Yes, 1100   Yes, 1100     Dimensions LxWxH (mm)   426x374x684   426x374x684   426x374x684	Vacuum (kPa)	210/21	210/21	210/21
Vacuum tube diameter (mm)363636Hose length (m)444Plug for electric tools (W)Yes, 1100Yes, 1100Yes, 1100Dimensions LxWxH (mm)426x374x684426x374x684426x374x684	Sound level Ipa/Iwa (dB(A))	87/74	87/74	87/74
Hose length (m)   4   4     Plug for electric tools (W)   Yes, 1100   Yes, 1100   Yes, 1100     Dimensions LxWxH (mm)   426x374x684   426x374x684   426x374x684	Capacity (I)	30	30	30
Plug for electric tools (W)   Yes, 1100   Yes, 1100   Yes, 1100     Dimensions LxWxH (mm)   426x374x684   426x374x684   426x374x684	Vacuum tube diameter (mm)	36	36	36
Dimensions LxWxH (mm)   426x374x684   426x374x684   426x374x684	Hose length (m)	4	4	4
	Plug for electric tools (W)	Yes, 1100	Yes, 1100	Yes, 1100
Weight (kg)   9.60   10.50   9.60	Dimensions LxWxH (mm)	426x374x684	426x374x684	426x374x684
	Weight (kg)	9.60	10.50	9.60



Technical specifications	NILFISK MULTI II 30 T INOX VSC FR	NILFISK MULTI II 30 T UK	NILFISK MULTI II 30 T INOX VSC UK
Max. suction power (W)	292	292	292
Power pmax (W)	1400	1400	1400
Power piec (W)	1260	1260	1260
Mains connection (V/~/Hz/A)	220-240/ 1~/ 50/60	220-240/ 1~/ 50/60	220-240/ 1~/ 50/60
Vacuum (kPa)	210/21	210/21	210/21
Sound level lpa/lwa (dB(A))	87/74	87/74	87/74
Capacity (I)	30	30	30
Vacuum tube diameter (mm)	36	36	36
Hose length (m)	4	4	4
Plug for electric tools (W)	Yes, 1100	Yes, 1100	Yes, 1100
Dimensions LxWxH (mm)	426x374x684	426x374x684	426x374x684
Weight (kg)	10.50	9.60	10.5
Technical specifications		NILFISK MULTI II 30 T AUS NZ	NILFISK MULTI II 30 T INOX VSC AUS NZ
Max. suction power (W)		292	292
Power pmax (W)		1400	1400
Power piec (W)		1260	1260
Mains connection (V/~/Hz/A)		220-240/ 1~/ 50/60	220-240/ 1~/ 50/60
Vacuum (kPa)		210/21	210/21
Sound level lpa/lwa (dB(A))		87/74	87/74
Capacity (I)		30	30
Vacuum tube diameter (mm)		36	36
Hose length (m)		4	4
Plug for electric tools (W)		Yes, 1100	Yes, 1100
Dimensions LxWxH (mm)		426x374x684	426x374x684

• Standard equipment, <sup>O</sup> Supplementary accessories, <sup>D</sup> Mountable equipment

Weight (kg)

Accessories	Ref. no.	Min. required	NILFISK MULTI II 30 T EU	NILFISK MULTI II 30 T INOX VSC EU	NILFISK MULTI II 30 T FR	
System 36 Brush/Universal Nozzle						
SUCTION BRUSH D36 BLACK	302002509	0	0	0	0	
UNIVERSAL NOZZLE D36X115	14295	0	0	0	0	
System 36 Crevice/Cone Nozzle						
CREVICE NOZZLE D36X200	29541	0	•	•	•	
System 36 Tube						
EXTENSION TUBE D36 2X500MM	LU 107400032	0	0	0	0	



9.60

10.50

	Accessories	Ref. no.	Min. required	NILFISK MULTI II 30 T EU	NILFISK MULTI II 30 T INOX VSC EU	NILFISK MULTI II 30 T FR
	EXTENSION TUBE D36 2X515MM PLASTIC	40696	0	0	0	0
	TELESCOPIC TUBE Ø36X550-970 SS	47109	0	0	0	0
	TOOL ADAPTER	302002356	0	•	•	•
System 36	/ac Floor Nozzle					
	COMBI NOZZLE Ø36X260MM	302002365	0	0	0	0
	FLOOR NOZZLE D36 W/D -KIT	107402706	0	0	0	0
	SUCTION NOZZLE WATER Ø36 300MM	63992	0	0	0	0
Tube						
	TELESCOPIC TUBE PLASTKIT	107402705	0	0	0	0
Accessory						
	TUBE WITH PARKING CLIPS	31000862	0	0	0	0
Hose and C	onnection					
	SUCTION HOSE 2.5M 1 PCS	107417192	0	0	0	0
	SUCTION HOSE 4M 1 PCS	107417193	0	•	•	•
	SUCTION HOSE D32X4000 CPL	31001002	0	0	0	0
Accessory I	Sit					
	CONVENIENCE KIT-TOPBOX	107417191	0	0	0	0
	PREMIUM CAR KIT-TOPBOX	107417190	0	0	0	0
Dust Bag a	nd Filter					
	DUST BAG FLEECE 22L/30I 4 PCS	107417195	0	0	0	0
	FILTER KIT 1 PCS	107417194	0	•	•	•
Nozzle - Va	cuum					
	FLOOR NOZZLE D36 W/D 1 PCS	107417197	0	•	•	•

• Standard equipment, <sup>O</sup> Supplementary accessories, <sup>D</sup> Mountable equipment

Accessories	Ref. no.	Min. required	NILFISK MULTI II 30 T INOX VSC FR	NILFISK MULTI II 30 T UK	NILFISK MULTI II 30 T INOX VSC UK			
System 36 Brush/Universal Nozzle	iystem 36 Brush/Universal Nozzle							
SUCTION BRUSH D36 BLACK	302002509	<b>302002509 0</b> • •						
UNIVERSAL NOZZLE D36X115	14295	0	0	0	0			
System 36 Crevice/Cone Nozzle								
CREVICE NOZZLE D36X200	29541	0	•	•	•			
System 36 Tube								
EXTENSION TUBE D36 2X500MM ALU	107400032	0	0	0	0			
EXTENSION TUBE D36 2X515MM PLASTIC	40696	0	0	0	0			
TELESCOPIC TUBE Ø36X550-970 SS	47109	0	0	0	0			
TOOL ADAPTER	302002356	0	•	•	•			



	Accessories	Ref. no.	Min. required	NILFISK MULTI II 30 T INOX VSC FR	NILFISK MULTI II 30 T UK	NILFISK MULTI II 30 T INOX VSC UK
System 36 Vac Floor Nozzle						
	COMBI NOZZLE Ø36X260MM	302002365	0	0	0	0
	FLOOR NOZZLE D36 W/D -KIT	107402706	0	0	0	0
	SUCTION NOZZLE WATER Ø36 300MM	63992	0	0	0	0
Tube						
	TELESCOPIC TUBE PLASTKIT	107402705	0	0	0	0
Accessory						
	TUBE WITH PARKING CLIPS	31000862	0	0	0	0
Hose and C	onnection		-			
	SUCTION HOSE 2.5M 1 PCS	107417192	0	0	0	0
	SUCTION HOSE 4M 1 PCS	107417193	0	•	•	•
	SUCTION HOSE D32X4000 CPL	31001002	0	0	0	0
Accessory k	Kit					
	CONVENIENCE KIT-TOPBOX	107417191	0	0	0	0
	PREMIUM CAR KIT-TOPBOX	107417190	0	0	0	0
Dust Bag ar	nd Filter					
	DUST BAG FLEECE 22L/30I 4 PCS	107417195	0	0	0	0
	FILTER KIT 1 PCS	107417194	0	•	•	•
Nozzle - Va	cuum					
	FLOOR NOZZLE D36 W/D 1 PCS	107417197	0	•	•	•

ullet Standard equipment,  $^{\bigcirc}$  Supplementary accessories,  $^{\square}$  Mountable equipment

Accessories	Ref. no.	Min. required	NILFISK MULTI II 30 T AUS NZ	NILFISK MULTI II 30 T INOX VSC AUS NZ
System 36 Brush/Universal Nozzle				
SUCTION BRUSH D36 BLACK	302002509	0	0	0
UNIVERSAL NOZZLE D36X115	14295	0	0	0
System 36 Crevice/Cone Nozzle				
CREVICE NOZZLE D36X200	29541	0	•	•
System 36 Tube				
EXTENSION TUBE D36 2X500MM ALU	107400032	0	0	0
EXTENSION TUBE D36 2X515MM PLASTIC	40696	0	0	0
TELESCOPIC TUBE Ø36X550-970 SS	47109	0	0	0
TOOL ADAPTER	302002356	0	•	•
System 36 Vac Floor Nozzle	· · · · · · · · · · · · · · · · · · ·			
COMBI NOZZLE Ø36X260MM	302002365	0	0	0
FLOOR NOZZLE D36 W/D -KIT	107402706	0	0	0



All information provided in this document is subject to change without prior notice

Accessories	Ref. no.	Min. required	NILFISK MULTI II 30 T AUS NZ	NILFISK MULTI II 30 T INOX VSC AUS NZ
SUCTION NOZZLE WATER Ø36 300MM	63992	0	0	0
Tube				
TELESCOPIC TUBE PLASTKIT	107402705	0	0	0
Accessory				
TUBE WITH PARKING CLIPS	31000862	0	0	0
Hose and Connection				
SUCTION HOSE 2.5M 1 PCS	107417192	0	0	0
SUCTION HOSE 4M 1 PCS	107417193	0	•	•
SUCTION HOSE D32X4000 CPL	31001002	0	0	0
Accessory Kit				
CONVENIENCE KIT-TOPBOX	107417191	0	0	0
PREMIUM CAR KIT-TOPBOX	107417190	0	0	0
Dust Bag and Filter		^ 		
DUST BAG FLEECE 22L/30I 4 PCS	107417195	0	0	0
FILTER KIT 1 PCS	107417194	0	•	•
Nozzle - Vacuum				
FLOOR NOZZLE D36 W/D 1 PCS	107417197	0	•	•

